












Coulter Blades Reference Information

Bolt / Hole Pattern Reference Information.

COULTERS AVAILABLE IN:


	AC Center Hole: 1-13/16" Bolt Circle: 3-1/4" Bolt Holes: 6-13/32"	Fits Allis Chalmers - Duetz Allis.	Fluted, and wavee.
	CA Center Hole: 2-1/4" Bolt Circle: 3-1/2" Bolt Holes: 6-13/32"	Fits older Case plows. (Before Case-IH).	Fluted only.
	FD-6 Center Hole: 2-13/16" Bolt Circle: 4-1/8" Bolt Holes: 6-3/8"	Fits older Ford plows with 6 bolt pattern.	Fluted only.
	IH 31/32" X Center Hole: 1-11/32" Bolt Circle: 3-1/4" Bolt Holes: 6-11/32"	Fits International Harvester hubs with rectangular center hole, before Case-IH.	Fluted and wavee.
	IHN Center Hole: 1-1/2" Bolt Circle: 4-1/2" Bolt Holes: 4-17/32"	Fits Case-IH newer hubs.	Fluted only.
	JD Center Hole: 2" Bolt Circle: 3-1/2" Bolt Holes: 6-13/32"	Fits JD7000 series planters with OEM coulter units.	Fluted and wavee.
	JDM Center Hole: 2-1/8" Bolt Circle: 4-3/4" Bolt Holes: 5-33/64"	Fits JD7200 and newer planters, same pattern as JD metric plows.	Fluted and wavee.
	MF Center Hole: 3.172" Bolt Circle: 4-3/4" Bolt Holes: 4-15/32"	Fits Massey Ferguson plows.	Fluted only.
	MLWR or MWR Center Hole: 3-11/16" Bolt Circle: 5" Bolt Holes: 4-17/32"	Fits many different coulters including DMI, Melroe, Marliss, Noble, Sunflower, Blue Jet, Tye, and others.	Fluted, wavee, and plain edge.
	OL Center Hole: 4" Bolt Circle: 5-1/4" Bolt Holes: 4-17/32"	Fits many different coulters including Oliver, White, Yetter, Great Plains, Marliss, New Kinze, Krause, and others.	Fluted, plain edge dished coulter, and wavee.
	R Center Hole: 3-3/4" Bolt Circle: 5" Bolt Holes: 6-7/16"	Fits Rawson.	Fluted and wavee.

Bolt / Hole Pattern Reference Information.


Dual Hole Patterns




Order numbers ending in 1118 (coulters and disc blades) means that there are two hole patterns combined into one. By putting the blade on in one direction it fits the 1" square axle, the other way (1/8 of a turn) the blade fits 1 1/8" square axle.



Order numbers ending in 1814 (coulters and disc blades) means that there are two hole patterns combined into one. By putting the blade on in one direction it fits the 1 1/8" square axle, the other way (1/8 of a turn) the blade fits 1 1/4" square axle.



this hole pattern is a combination of DW, KW, and DMW hole patterns to fit all John Deere planters after JD 7000 and fits the older Kinze 6 bolt.



this is a combination hole pattern that will fit Yetter, Salford, Great Plains hole patterns and also DMI/Blue Jet hole patterns.

Coulters Blade Helpful Information:



FLUTED COULTER (also known as a ripple coulters)
Good penetration and cutting - moderate soil disturbance and tilling action- good for varying conditions. Used mostly on moldboard plows, tool bars, and fertilizer coulters.



PLAIN COULTER
Good penetration and cutting - Virtually no soil disturbance. Used mainly on disc chisels, tool bars, stabilizer coulters, and seed disc openers.



NOTCHED COULTER
Good penetration and cutting in heavy residue - little to no soil disturbance.



WAVEE COULTER
Moderate penetration and cutting - high soil disturbance.



17" Vortex Coulters 20" & 22" Vortex Coulters

You will find the new Vortex coulters only at CFC Distributors. The design of this blade is very similar to the Turbo® coulters manufactured by Osmundson Manufacturing and sold by Great Plains.

"Turbo®" is a registered trademark owned by Osmundson Mfg. Co. and CFC Distributors Inc. has no relationship of any kind with Osmundson Mfg. Co.

Vortex Coulters do not qualify under volume discount programs.

16" Diameter (4 mm thick)

ORDER NO.	DESCRIPTION	WT.	STOCK	RETAIL
VT16DKDMW	Multi Punch blade to fit JD 6 bolt, JD 5 bolt, and Kinze 6 bolt.	10	00326	\$32.86
VT16MLOL	Blade to fit Yetter, GP, White, Kinze 4 bolt.	10	00329	\$32.86

17" Diameter (5 mm thick, .197")

ORDER NO.	DESCRIPTION	WT.	STOCK	RETAIL
VT17MLOL	Blade to fit Yetter, GP, White, Kinze 4 bolt.	12	10139	\$44.30

20" & 22" Diameter (20" is actually 19.5" and the 22" is 21.5")

ORDER NO.	DESCRIPTION	WT.	STOCK	RETAIL
VT20MLOL	20" Blade to fit Yetter, GP, Salford, White, DMI. This blade is 6.3 mm thick. Has 4 bolt holes. 1.25" cutting width.	22	39148	\$59.90
VT201814	20" Blade to fit disc arbors, can be made to fit most hole patterns. Please specify disc arbor size when ordering. This blade is 6.3 mm thick. 1.25" cutting width.	22	39145	\$59.90
VT20134R	20" Blade to fit 1.75" round disc arbors. This blade is 6.33 mm thick. Commonly used on Great Plains Turbo Till. 1.25" cutting width.	22	39147	\$59.90
VT221814	22" Blade to fit disc arbors, can be made to fit most hole patterns. Please specify disc arbor size when ordering. This blade is 6.3mm thick. 1.25" cutting width.	26	97841	\$69.70
VT22134R	22" Blade to fit 1.75" round disc arbors. This blade is 6.33 mm thick. Sometimes used on Great Plains Turbo Till. 1.25" cutting width.	26	97842	\$69.70

"Turbo®" is a registered trademark owned by Osmundson Mfg. Co. and CFC Distributors Inc. has no relationship of any kind with Osmundson Mfg. Co.

13 Wave Blades

*Available in full 1" cut in most sizes.

*Made of high quality 7 gauge (or thicker) Boron steel.



15" Diameter (.177" thick)

ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
K15YW	1"	Blade to fit White, GP, Kinze 4 bolt, Yetter.	8.4	02528	\$36.00

16" Diameter (.177" thick)

ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
K16D	1"	Blade to fit Dawn 3 bolt pattern coulters.	9.6	72527	\$36.10
K16DKDMW	1"	Multi Punch blade to fit JD 6 bolt, JD 5 bolt, and Kinze 6 bolt.	9.6	42326	\$33.20
K16Y34	3/4"	Blade to fit Yetter, GP, White, Kinze 4 bolt.	9.6	42326	\$33.20
K16YW	1"	Blade to fit Yetter, GP, White, Kinze 4 bolt.	9.6	42326	\$33.20

17" Diameter (.177" thick)

ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
K17ACW	1"	Blade to fit Duetz Allis/ Allis Chalmers planters.	11	03728	\$39.00
K17IHW	1"	Blade to fit IH planter with rectangular center hole.	11	03728	\$39.00
KW17MLOL	3/4"	Dual punch blade, fits 4 bolt patterns of Yetter, GP, Salford, DMI, Blue Jet, Tye, etc.	11	49327	\$34.20
K17MLOL	1"	Dual punch blade, fits 4 bolt patterns of Yetter, GP, Salford, DMI, Blue Jet, Tye, etc.	11	46423	\$35.20
K17R	1"	Blade to fit Rawson 6 bolt pattern (.197 thick).	12	22427	\$34.60

18" Diameter (.177" thick)

ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
M1813YMWR	3/4"	Dual punch blade to fit GP, Yetter, DMI, Tye, Blue Jet.	12	32723	\$38.90

20" Diameter (.197" thick)

ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
K20YMR	1.25"	Dual punch blade to fit Yetter, GP, Blue Jet, DMI, and others. Now in .197" thick. Has 4 bolt holes.	16.8	22136	\$44.60
K20R	1.25"	Blade to fit Rawson.	16.4	22134	\$44.60

25 Wave Coulter Blades

*Made of high quality 7 gauge (.177") Boron steel.

*All 25 wave blades measure 5/8 width.



14.9" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
M2515YW	14.9" diameter blade to fit Yetter, GP, Ausherman, Kinze 4 bolt & others. Commonly used to replace Yetter part number 2571-166. This blade is .177" thick.	9	39025	\$29.90

16" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
M2516YW	Blade to fit Yetter, GP, Ausherman, Kinze 4 bolt & others. Commonly used to replace Yetter part number 2571-172. This blade is .177" thick.	9.5	25325	\$33.60
M2516KDMW	Multi punch blade, fits JD 6 bolt, JD 5 bolt, and Kinze 6 bolt. .177" thick.	9.5	25324	\$33.60

17" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
M25W17MLOL	Blade to fit Yetter, GP, Ausherman, DMI, Blue Jet, Tye, Salford & others. Has 4 bolt holes. .177" thick.	10.5	17427	\$35.30
M2517R	Blade to fit Rawson, .177" thick.	10.5	17420	\$35.30

20" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
M2520YMR	Blade to fit Yetter, GP, Ausherman, DMI, Blue Jet, Tye, Salford & others. Now in .197" thick. Has 4 bolt holes.	16.4	22137	\$44.60

Notched Coulter

*Made of high quality Boron steel.



17" Diameter (.177" thick)

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
N17177YMR	Dual punch blade, fits Yetter, GP, DMI, Blue Jet. Replaces Yetter part no. 2571-165..177" thick.	9	51422	\$34.50
N17177JD	6 bolt coulter to fit JD NU hole pattern. .177" thick.	9	51422	\$34.50

8 Wave Coulters

*Made of high quality Boron steel.

17" & 20" Diameter



ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
W17197R	2"	17" Blade to fit Rawson, .197 thick.	15.2	39727	\$39.90
WS17197R	1"	17" Blade to fit Rawson, .197 thick.	14	39728	\$39.90
WW17157YMR	3/4"	17" Blade to fit Yetter, Ausherman, Great Plains, Tye, DMI, Blue Jet, Salford, and others.	12	15725	\$39.30
W17197MLOL	1.75"	Dual punch blade 17" diameter to fit Salford, Yetter, Great Plains, Ausherman, DMI, and others. .197 thick.	15.2	39723	\$39.90
B20236OL	2"	20" diameter to fit Salford, Yetter, Great Plains, Ausherman, and others.	21.3	04635	\$52.00

Plain Edge Coulters

*Made of high quality Boron steel.



ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
P2214MLOL	22" Blade to fit DMI 4 bolt pattern and also Yetter and others. .236 thick.	26	18042	\$58.30
P2414MLOL	24" Blade to fit DMI 4 bolt pattern and also Yetter and others. .236 thick.	28	38645	\$66.90
P20197DMI	20" Blade to fit DMI/Sunflower, 5 bolt, concave. .236 thick.	20	20436	\$48.60
P2214DMI	22" Blade to fit DMI/Sunflower, 5 bolt, concave.	26	67935	\$56.80
PFC20177OL	20" Concave coulters to fit Oliver Plows.	19	03436	\$49.00
PFC22197OL	22" Concave coulters to fit Oliver Plows.	20	04346	\$62.00
WP18157	18" 4 bolt blade to fit Hiniker and others. 4" bolt circle with a center hole of 2-5/8".	10	51429	\$34.50
P20197MLOL	20" Flat blade with double punch holes to fit MLWR and OL patterns. (Yetter, DMI, and others)	16	16924	\$42.30
2571-208	16" Coulters to fit Yetter Viper Coulters. Has 4 bolt holes on a 5 1/4" bolt circle. Single bevel. This blade is 6 mm thick (.236"). Replaces Yetter number 2571-208.	13	02523	\$36.00



2571-208

Fluted/Rippled Coulters

*Made of high quality Boron steel.

16" Diameter



ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
WF16177MLOL	Dual punch coulters to fit Yetter, White, DMI, Great Plains, Tye, Salford, Blue Jet, Ausherman, Kinze 4 bolt and others	11	64528	\$33.95
WF16177DKDMW	Multi punch coulters to fit John Deere 6 bolt, John Deere 5 bolt, and Kinze 6 bolt.	11	64528	\$33.95

17" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
WF17157AC	AC 17" fluted plow coulters, .157 thick. 6 bolt.	9.5	93628	\$37.70
WF17157FD6	Ford General Purpose bottom 17" coulters.**Special Order**.	9.5	92438	\$48.99
WF17157IH	IH Coulters blade 17" - Rectangular center hole.	9.5	93628	\$37.70
WF17177DKDMW	Coulters blade 17" to fit all JD NU, HS, and metric.	11	17428	\$35.30
WF17157MF	Coulters blade 17", Massey.	9.5	93628	\$37.70
F17197R	Coulters blade 17" Rawson, .197 thick.	12	36828	\$40.90
MF17177MLOL	Dual pattern blade for DMI, Oliver, Salford, WFE, Yetter, etc. (.177 thick).	11	17428	\$35.30

20" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
WF20177AC	20" fluted coulters, .177 thick. 6 bolt pattern, AC.	15	34131	\$44.90
WF20177CA	EX series coulters, 20" x .177 thick, 6 bolt, Case.	15	34131	\$44.90
WF20177FD6	Ford General Purpose bottom 20" coulters.	15	34131	\$44.90
WF20177IH	Coulters blade 20" - Rectangular hole, Case-IH.	15	34131	\$44.90
WF20177IHN	Coulters blade 20" - Rd center hole - 4 bolt, C-IH.	15	34131	\$44.90
WF20177JD	20" HS or NU coulters blade, John Deere.	15	34131	\$44.90
WF20177DKDMW	20" blade, fits John Deere 5 bolt and 6 bolt patterns.	15	34131	\$44.90
WF20177MF	Coulters blade 20", Massey Ferguson.	15	34131	\$44.90
F20197R	Coulters blade, 20" to fit Rawson, .197 thick.	17	35331	\$47.90
MF20177MLWROL	Dual pattern blade for DMI, Oliver, Salford, WFE, Yetter, Remlinger strip till, and others.	15	39721	\$39.90

22" Diameter

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
WF22197IHN	Coulter blade 22" - Round hole - 4 bolt, Case-IH.	22	34831	\$54.90
WF22197JDM	22" Metric coulter blade, John Deere.	22	34833	\$54.90

Coulter Hub Repair Parts

W120 hub fits Yetter, Great Plains, Ausherman, Oliver, & WFE.



ORDER No.	DESCRIPTION	STOCK	RETAIL
W120	Coulter hub unit.	65524	\$36.51
APYCAP	Dust cap only, fits W120 hub.	198	\$1.30
KW120	Bearings, seals, cup for Yetter hubs (W120) .	5497	\$13.50
GA5622	Bearing for Kinze No-till coulter built 1991-2001, 2 used per row. Replaces Kinze number GA5622.	7968	\$9.95
B5206KPP3	Double row bearing for Kinze 4 bolt no-till coulters built 2001 and later. 1 used per row. Replaces Kinze number GA8603.	7965	\$9.95



B5206KPP3

Vertical Tillage Blades

The benefits and rewards of the new "Vertical Tillage" tools are becoming more and more obvious as time goes on. However, the prices of some of these new machines are astronomical. For a fraction of the cost of one of these new machines, you can construct your own "Vertical Tillage" machine.

Using any of our wave edge coulters, remove the blades from your old disc, straighten the gangs, install the wave edge coulters in place of the old disc blades, and you have created your own "Vertical Tillage" tool. (You may need to add weight to the disc in certain heavier soil conditions.)

This machine can be utilized two seasons per year. In the spring, when the ground is still slightly wetter than it should be for planting, you can run this machine over the seedbed about 6 to 8 miles per hour, 2" to 2-1/2" deep and create a perfect seedbed for planting. The soil dries quicker and allows you to get in the field and plant sooner than expected. In the fall of the year, use it to chop corn stalks into small segments that will get worked into the ground with the tillage action of the blades for quicker decomposition over the winter.

- * Breakdown Residue.
- * Level Soil.
- * Incorporate Fertilizer.
- * Warm the Soil.
- * Reuse Bearings and spacers.



ORDER No.	CUT	DESCRIPTION	WT.	STOCK	RETAIL
K18071814	1.22"	18" diameter, 13 wave to fit disc arbors, can be made to fit most holes sizes. Please specify the size that you need.	15	93621	\$37.70
K20071814	1.25"	20" diameter, 13 wave to fit disc arbors, can be made to fit most holes sizes. Please specify the size that you need. Now in .197" thick.	17	39926	\$39.90
K22141814	1.25"	22" diameter, 13 wave to fit disc arbors, can be made to fit most holes sizes. Please specify the size that you need..236" thick.	26	34735	\$49.90
M25201814	3/4	20" diameter, 25 wave to fit disc arbors, can be made to fit most holes sizes. Please specify the size that you need. Now in .197" thick.	17	39921	\$39.90

We can cut the center hole to fit most axle sizes. Please measure the disc arbor before ordering to insure correct hole size in the blades.