

Chisel / Soil Saver™ Style Coulters Blades

Coulters to fit most Coulters Chisel units such as Glencoe, Landoll, Brillion, Sunflower, and many others. Made of high boron steel for greater wear life. These have proven to be among the highest quality blades we have ever offered. Same warranty as OEM suppliers.



Flat Plain Edge Blades

ORDER NO.	DIA.	THICK	SHAFT	FITS	WT.	STOCK	RETAIL
WP1807112G	18"	7 ga.	1 1/2" Rd.	Glencoe, Landoll, and others.	12	96522	\$36.70
WP1807112S	18"	7 ga.	1 1/2" Sq.	Brillion.	12	96527	\$36.70
WP20197G	20"	3/16"	1 1/2" Rd.	Glencoe, Landoll, and others.	17	94826	\$40.70
WP2014G	20"	1/4"	1 1/2" Rd.	Glencoe, Landoll, and others.	20	46131	\$45.20
WP20197GB	20"	3/16"	1 1/2" Sq.	Brillion.	17	94826	\$40.70
WP20197GAC	20"	3/16"	1 1/8 x 1 1/4 Sq.	Duetz-Allis, Case-IH, Deere, others.	17	94826	\$40.70
WP20197SUN	20"	3/16"	1 3/4" Rd.	Sunflower.	17	94826	\$40.70
WP2014SUN	20"	1/4"	1 3/4" Rd.	Sunflower.	20	46131	\$45.20
WP2014GAC	20"	1/4"	1 1/8 x 1 1/4 Sq.	Duetz-Allis, Case-IH, Deere, others.	20	46131	\$45.20
WP2214G	22"	1/4"	1 1/2" Rd.	Glencoe, Landoll, and others.	26	80831	\$54.40
WP2214D	22"	1/4"	1 1/8 x 1 1/4 Sq.	Duetz-Allis, Case-IH, Deere, others.	26	80831	\$54.40
P20197MLOL	20"	3/16"	fits 4 bolt.	DMI, Blue Jet, Yetter, and others.	17	90926	\$41.56
P2214MLOL	22"	1/4"	fits 4 bolt.	DMI, Blue Jet, Yetter, and others.	24	46731	\$53.77
P2414MLOL	24"	1/4"	fits 4 bolt.	DMI, Blue Jet, Yetter, and others.	30	72344	\$61.81
WP2514	25"	1/4"	Specify Hole size	Krause and others.	27	03848	\$69.00

Please note that all blades listed as 1/4" will measure .236".

Flat Notched Edge Blades

ORDER NO.	DIA.	THICK	SHAFT	FITS	WT.	STOCK	RETAIL
WN22197G (Notched)	22"	3/16"	1 1/2" Rd.	Glencoe, Landoll, and others.	22	48246	\$61.20

Concave Plain Edge Blades

ORDER NO.	DIA.	THICK	SHAFT	FITS	WT.	STOCK	RETAIL
P20197DMI	20"	1/4"	5 bolt.	Sunflower/DMI. (Concave)	20	20436	\$48.60
P2214DMI	22"	1/4"	5 bolt.	Sunflower/DMI. (Concave)	24	67938	\$56.80
W2014134R	20"	1/4"	1 3/4" Rd.	Sunflower DBC. 1.3" Concavity.	23	03144	\$59.00
PD2414512	24"	1/4"	1 1/8 x 1 1/4 Sq.	John Deere 512 ripper, 2.3" Concavity. Replaces JD no. N242322.	30	04345	\$62.00

METRIC	NEAREST GAUGE	INCHES
3 mm	11 ga.	0.118"
3.5 mm	9 ga.	0.138"
4 mm	8 ga.	0.157"
4.5 mm	7 ga.	0.177"
5 mm	6 ga.	0.197"
6 mm	5 ga.	0.236"

Helpful Blade Applications

MAKE AND MODEL	DIAMETER	POSSIBLE BLADE APPLICATION	SHAFT SIZE	
John Deere 510 Ripper	24"	P2414	1-1/8" Sq	
	20"	P203161118, P2014, or P20071118	1-1/8" Sq	
John Deere 512 Ripper	24"	PD2414512	1-1/8" Sq	
John Deere 2700	22"	P22141814	1-1/4" Sq	
Brent CPC	24"	P2414	1-3/4" Rd	
	26"	P2656	1-3/4" Rd	
Brillion Land Commander	20"	P2007112S	1-1/2" Sq	
	22"	P2214112S	1-1/2" Sq	
Glencoe Yield Builder	20"	WP20197G	1-1/2" Rd	
Landoll Weatherproofer	22"	P2214112R	1-1/2" Rd	
M & W Earthmaster	20"	P20316112S	1-1/2" Sq	
	Model 4411	20"	P20197DMI	5 bolt
		22"	P2214112S	1-1/2" Sq
	Model 4411	22"	P2214DMI	5 bolt
	Model 4411	22"	P2214134R (Rear Axle)	1-3/4" Rd

Straight Chisel Spikes

Spikes made of high carbon steel, drop forged, heat treated and oil quenched for long, break resistant wear life. The "S" series spikes feature a "crowned" point that requires less draft, penetrate easily and most importantly, wear sharp and guaranteed against breakage.

ORDER NO.	WIESE NO.	HOLE	BOLT SPACING	WT.	STOCK	RETAIL
WSD225	SD225	1/2" Hex	2.25" to 2.5"	8	54719	\$24.93
WSD23	SD235	1/2" Hex	2.25" to 2.5"	12	56724	\$39.50
WR2585	R258-5	1/2" Plow	2.25"	5	82410	\$20.40
W47345	47345	1/2" Plow	2.25" to 2.5"	6	84815	\$26.40
CPHS	Charge to add Hardface to WSD225, WSD23, and WR2585				08219	\$16.00
CFWING	This order number will add 9.5" wings and hardface to a chisel spike. (WSD225 or WSD23 only). Comes with bolts installed.				02532	\$44.00

New & Improved!



- WSD225:** This is our most popular chisel spike. Good penetration and exceptional wear. Measures 2" wide by 19 1/2" long.
- WSD23:** Very similar to the WSD225 only measures 2 1/2" wide by 20" long.
- WR2585:** Flat chisel spike. Drop forged and heat treated. Measures 2" wide by 15-3/4" long.
- W47345:** *This is our best wearing chisel point.* For years we have sold the WSD23 as our "best" wear ing chisel but now we have the improved W47345 that out wears the WSD23. Made by Shield Ag in Kansas (C34). By adding Nickel to the chrome cap, it is simply the toughest chisel point available.

Twisted Chisel Points

Wiese twisted chisels wear sharp, resist breaking, and penetrate the hardest soil conditions. Available in 3" or 4" widths with 1/2" punched holes. Use special reducer head bolt to allow inventory of 1/2" punched chisels to fit 7/16" punched shanks.



All Twisted chisels have a 2-1/4" hole spacing.

3" Wide Twisted Chisels

ORDER NO.	POINT	BOLT	DIMENSIONS		WT.	STOCK	RETAIL
WR123R	"V"	1/2" Plow	1/2" thick x 23" long	RH	9	39318	\$19.90
WR123L	"V"	1/2" Plow	1/2" thick x 23" long	LH	9	39317	\$19.90
WCC123R	Slash	1/2" Plow	1/2" thick x 23" long	RH	10	39317	\$19.90
WCC123L	Slash	1/2" Plow	1/2" thick x 23" long	LH	10	39317	\$19.90
CPHS	Charge to add Hardface to WR123 and WCC123 chisels.					08219	\$16.00

4" Wide Twisted Chisels

ORDER NO.	POINT	BOLT	DIMENSIONS		WT.	STOCK	RETAIL
WCC124R	Slash	1/2" Plow	1/2" thick x 26" long	RH	13	66616	\$23.80
WCC124L	Slash	1/2" Plow	1/2" thick x 26" long	LH	13	66615	\$23.80
CPHS2	Charge to add Hardface to WCC124 chisels.					08022	\$26.00

** When ordering hardfaced chisels please specify location of hardface. Our standard location is the back side of the chisel. We will hardface on the front side upon request.*

Hardware for Chisel Points

ORDER NO.	PKG QTY	BOLT STYLE	SIZE	FIT SERIES	STOCK	RETAIL
KH12214	25	Hex	1/2" x 2 1/4"	WSD	82016	\$14.69
KH12234	25	Hex	1/2 x 2 3/4"	WSD	52212	\$17.50
KH12212	25	Hex	1/2" x 2 1/2"	WSD	53118	\$16.22
KH122128	25	Hex	1/2" x 2 1/2" Gr 8	WSD	58215	\$18.36
KH12WN	50	Nut	1/2" Whiz nut	All	0486	\$12.00
KIPB12214	50	Plow	1/2" x 2 1/4"	All but WSD	59625	\$38.50
KIPB12212	50	Plow	1/2" x 2 1/2"	All but WSD	03724	\$39.00
KIPB122128	50	Plow	1/2" x 2-1/2" Grade 8	All but WSD	03435	\$49.00
KIPB12234	50	Plow	1/2" x 2 3/4"	All but WSD	01333	\$47.29
KIPB123	25	Plow	1/2" x 3"	All but WSD	68712	\$25.51
KIPB12312	25	Plow	1/2" x 3 1/2"	All but WSD	33912	\$27.62

See pages 191-196 for more bolt options.

Chisel Plow Sweeps

WHC Series

Boron based steel, 50 degree stem angle.
1/2" holes on 2 1/4" centers.



ORDER No.	DESCRIPTION	STOCK	RETAIL
WHC85	Chisel plow sweep, 8" x 1/4" thick.	34015	\$14.90
WHC105	Chisel plow sweep, 10" x 1/4" thick.	03315	\$19.00
WHC125	Chisel plow sweep, 12" x 1/4" thick.	54615	\$23.50
WHC145	Chisel plow sweep, 14" x 1/4" thick.	54617	\$23.50
WHC165	Chisel plow sweep, 16" x 1/4" thick.	54618	\$23.50
WHC16C5	Chisel plow sweep, 16" x 5/16" thick.	55816	\$26.50
WHC185	Chisel plow sweep, 18" x 5/16" thick.	39723	\$39.90
WHC205	Chisel plow sweep, 20" x 5/16" thick.	39723	\$39.90
WHC245	Chisel plow sweep, 24" x 5/16" thick.	39433	\$49.90

Shank Protector for Chisel Plows

ORDER No.	DESCRIPTION	STOCK	RETAIL
CWP218P	Chisel plow shank protector, 2" wide x 18" long.	1618	\$2.30


McKay Penetrator Chisel Plow Sweeps

ORDER No.	DESCRIPTION	STOCK	RETAIL
P4316K	Chisel plow sweep, 16" x 1/4" x 43 degree.	64218	\$17.80
P5016K	Chisel plow sweep, 16" x 1/4" x 50 degree.	64219	\$17.80
P4314-5K	Chisel plow sweep, 14" x 5/16" x 43 degree.	11211	\$17.30



3 Piece Chisel Plow Sweep

- * Leaves more trash on surface to control erosion.
- * Cuts all underground roots.
- * Leaves fewer ridges than coulter-chisels.
- * Holds more soil moisture in root area for next crop.
- * Point runs deeper than wings for "two level" tillage.
- * Wings are 3/8" plow share material - at least twice the wear of standard chisel plow sweeps.
- * Comes standard with UHMW poly shank protector.
- * All points come with hardsurface applied.




ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
KCF16	Sweep kit complete, 16". Includes hardware.	14	79966	\$99.95

Replacement Parts for 3 Piece Chisel Plow Sweep

ORDER No.	DESCRIPTION	WT.	STOCK	RETAIL
KCFHDWE	Universal hardware package.	1	5429	\$3.50
CFP	Point for 3 piece chisel assembly - hardfaced.	2	38518	\$22.61
CFF	Frog assembly.	6	18917	\$28.30
CWP218P	Shank Protector for chisel plows, 2" x 18".	1	1615	\$2.30
CFWL16	Wing, 16" left hand.	4	47916	\$28.20
CFWR16	Wing, 16" right hand.	4	47915	\$28.20

Soil Saver™ Style Replacement Parts



ORDER No.	DESCRIPTION	STOCK	RETAIL
WCPPL	Plain point - Left.	37118	\$16.75
WCPPR	Plain point - Right.	37117	\$16.75
WCPPLHS	Hardfaced point - Left.	58718	\$25.50
WCPPRHS	Hardfaced point - Right.	58717	\$25.50
WCPML	Plain moldboard - Left.	10712	\$24.30
WCPMR	Plain moldboard - Right.	10712	\$24.30
WCPMLHS	Hardfaced moldboard - Left.	39436	\$49.90
WCPMRHS	Hardfaced moldboard - Right.	39435	\$49.90
WCPFL	Frog assembly - Left.	73315	\$19.10
WCPFR	Frog assembly - Right.	73315	\$19.10